T Mumb and	IIita	Coarch Toyt	DB	Time stamp
L Number	Hits 76535	Search Text device with (search query or request)	USPAT;	2003/04/28 08:26
-	/6535	device with (search query of request)	US-PGPUB;	2003/04/28 08:28
<u> </u>			EPO; JPO;	
			DERWENT;	
		•	IBM TDB	
	2449	(device with (search query or request)) and	USPAT;	2003/04/28 08:26
_	2117	attribute with device	US-PGPUB;	2002, 01, 20 00:20
		accribate with device	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	734	((device with (search query or request)) and	USPAT;	2003/04/28 08:13
	, 5 1	attribute with device) and (refine or	US-PGPUB;	,,
		second) with (search query request)	EPO; JPO;	1
			DERWENT;	
			IBM TDB	
	378	(((device with (search query or request))	USPĀT;	2003/04/28 08:27
		and attribute with device) and (refine or	US-PGPUB;	
		second) with (search query request)) and	EPO; JPO;	
		attribute with (search query or request)	DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM TDB	
_	54	(device with (search query or request)) and	USPAT;	2003/04/28 09:57
	- <b>-</b>	(narrow and broad) with (search query	US-PGPUB;	
		request)	EPO; JPO;	
		-	DERWENT;	
			IBM TDB	
-	7675	(device with (search query or request)) and	USPAT;	2003/04/28 09:59
		(zero or none or no) with (matche result	US-PGPUB;	1
		hit)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	9136	(device with (search query or request)) and	USPAT;	2003/04/28 10:00
		(zero or none or no) with (match result hit)	US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10339	(device with (search query or request)) and	USPAT;	2003/04/28 10:01
		(zero or none or no) with (match\$3 result\$3	US-PGPUB;	
		hit\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	18
-	88	_ , , ,	USPAT;	2003/04/28 10:09
		and (zero or none or no) with (matche result	US-PGPUB;	-
		hit)) or ((device with (search query or	EPO; JPO;	
		request)) and (zero or none or no) with	DERWENT;	
		(match result hit)) or ((device with (search	IBM_TDB	
		query or request)) and (zero or none or no)	· ·	
		with (match\$3 result\$3 hit\$3))) and		
		(narrow\$3 and broad\$4) with (search query		
	2005	request)	LIODAG	2002/04/02 10 12
-	2897	device with directory and network	USPAT;	2003/04/28 10:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	222	(/dovice with /goarch more on remost))	IBM_TDB	2002/04/22 10 33
-	223	((device with (search query or request)) and	USPAT;	2003/04/28 10:11
		attribute with device) and (device with	US-PGPUB;	
		directory and network)	EPO; JPO;	
[			DERWENT;	
<u> </u>	93	(((device with (search query or request))	IBM_TDB USPAT;	2003/04/28 12:02
ĺ	32	and attribute with device) and (device with		2003/04/28 12:02
		directory and network) ) and (device with	US-PGPUB;	
		(search query or request)) and (device with	EPO; JPO;	
		or no) with (match\$3 result\$3 hit\$3))	DERWENT; IBM TDB	
		or 110) with (matchia) legalta) Hitail	TDI-I IDB	

-	92	and attribute with device) and (device with	USPAT; US-PGPUB;	2003/04/28 10:11
,		directory and network) ) and ((device with (search query or request)) and (zero or none	EPO; JPO; DERWENT;	
		or no) with (match\$3 result\$3 hit\$3))) not ((((device with (search query or request))	IBM_TDB	•
		and (zero or none or no) with (matche result		
		hit)) or ((device with (search query or request)) and (zero or none or no) with		·
		(match result hit)) or ((device with (search		
		<pre>query or request)) and (zero or none or no) with (match\$3 result\$3 hit\$3))) and</pre>		
	,	(narrow\$3 and broad\$4) with (search query request))		
- <i>'</i>	2		USPAT;	2003/04/28 12:05
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	0		USPAT	2003/04/28 12:03
-	0 5		USPAT	2003/04/28 12:03 2003/04/28 12:03
	7956	"5580177"   "5978557").PN.	USPAT:	2003/04/28 12:05
_	/956	(search of query request) with attribute	US-PGPUB;	2003/04/28 12:05
			EPO; JPO; DERWENT;	
	556	//accept as means accept) with attailmet.	IBM_TDB	2002/04/20 12 15
_	556	((search or query request) with attribute) and (reduce or limit) with attribute	USPAT; US-PGPUB;	2003/04/28 13:15
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	52	(((search or query request) with attribute) and (reduce or limit) with attribute) and	USPAT; US-PGPUB;	2003/04/28 14:21
		707/3-5.ccls.	EPO; JPO; DERWENT;	
	204		IBM_TDB	
_	304	(query or request search find match) with attribute with (reduce or limit subset)	USPAT; US-PGPUB;	2003/04/28 13:15
			EPO; JPO; DERWENT;	
	206646		IBM_TDB	
-	326646	(no zero none) with (match hit result)	USPAT; US-PGPUB;	2003/04/28 13:17
		·	EPO; JPO; DERWENT;	
	1.5		IBM_TDB	2002/01/20
-	17	((no zero none) with (match hit result)) same (reduce or limit) with attribute	USPAT; US-PGPUB;	2003/04/28 13:35
			EPO; JPO; DERWENT;	
			IBM_TDB	0000/6:/55
-	146	((query or request search find match) with attribute with (reduce or limit subset) )	USPAT; US-PGPUB;	2003/04/28 13:24
		and ((no zero none) with (match hit result))	EPO; JPO; DERWENT;	
,			IBM_TDB	0000/01/05
-	432	((no zero none) with (match hit result)) same (reduce or limit subset) with	USPAT; US-PGPUB;	2003/04/28 13:40
		(attribute parameter terms)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	141	((no zero none) with (match hit result)) with (reduce or limit subset) with	USPAT; US-PGPUB;	2003/04/28 14:19
		(attribute parameter terms)	EPO; JPO; DERWENT;	
	<u> </u>		IBM TDB	

-	10	(((no zero none) with (match hit result)) with (reduce or limit subset) with	USPAT; US-PGPUB;	2003/04/28 13:42
		<pre>(attribute parameter terms)) and network with device</pre>	EPO; JPO; DERWENT; IBM TDB	
-	45	(((no zero none) with (match hit result)) same (reduce or limit subset) with (attribute parameter terms)) and network with device	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/28 14:21
-	56007	first and (second subsequent) with (request search query)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/28 14:16
-	43115	(first and (second subsequent)) with (request search query)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/28 14:17
-	2493	((first and (second subsequent)) with (request search query)) and (reduce or limit subset) with (attribute parameter terms)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/28 14:20
-	284	(((first and (second subsequent)) with (request search query)) and (reduce or limit subset) with (attribute parameter terms)) and 707/3-5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/28 14:21
-	91	((((first and (second subsequent)) with (request search query)) and (reduce or limit subset) with (attribute parameter terms)) and 707/3-5.ccls.) and network with device	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/28 14:40
-	175	<pre>(narrow\$3 and broad\$3) with (search query request) and ((no zero none) with (match hit result))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/28 14:57
-	108	((narrow\$3 and broad\$3) with (search query request) and ((no zero none) with (match hit result))) and (707/\$ 709/\$)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/28 14:58
	574	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (crieria attributes parameters properties)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 06:42
	13	result\$4)) and (broaden alter change modify) with (search query request) with (crieria attributes parameters properties)) and network with (device or printer) with	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:45
-	308	(attributes condition criteria) ((no zero none) near3 (match\$3 hit\$3 result\$4)) and (broad\$2 alter change modify) with (search query request) with (crieria attributes parameters properties)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 06:42
-	152	((no zero none) near3 (match\$3 hit\$3 result\$4)) and (broad\$2 alter change modify) with (search query request) near4 (crieria attributes parameters properties)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 06:42
-	231	((no zero none) near3 (match\$3 hit\$3 result\$4)) and (broad\$2 alter change modify) with (search query request) near4 (criteria attributes parameters properties)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:43

			1	10000/04/00 05 10
-	108		USPAT;	2003/04/29 06:43
	·	result\$4)) and (broad\$2 alter change modify)	US-PGPUB;	
		with (search query request) near (criteria attributes parameters properties)	EPO; JPO; DERWENT;	
		accribaces parameters properties;	IBM TDB	
_	694	((no zero none) with (match\$3 hit\$3	USPAT;	2003/04/29 06:44
		result\$4)) and (broaden alter change modify)	US-PGPUB;	
		with (search query request) with (criteria	EPO; JPO;	
		attribute parameter property)	DERWENT;	
			IBM TDB	
-	16	(((no zero none) with (match\$3 hit\$3	USPAT;	2003/04/29 06:44
		result\$4)) and (broaden alter change modify)	US-PGPUB;	
		with (search query request) with (criteria	EPO; JPO;	
		attribute parameter property)) and network	DERWENT;	*
•		with (device or printer) with (attributes	IBM_TDB	
		condition criteria)		0000/04/00 05 44
-	3	( ( ( ( ) ) ) )	USPAT;	2003/04/29 06:44
		result\$4)) and (broaden alter change modify) with (search query request) with (criteria	US-PGPUB;	
		attribute parameter property)) and network	EPO; JPO; DERWENT;	
		with (device or printer) with (attributes	IBM TDB	
		condition criteria)) not (((no zero none)	12.1_122	
		with (match\$3 hit\$3 result\$4)) and (broaden		
,		alter change modify) with (search query		
		request) with (crieria attributes parameters		
		properties)) and network with (device or		
		printer) with (attributes condition		1
		criteria))		
-	6	( ( ( ) ) )	USPAT;	2003/04/29 06:49
		result\$4)) and (broaden alter change modify)	US-PGPUB;	
		with (search query request) with (crieria	EPO; JPO;	
		attributes parameters properties)) and network with (device or printer) with (find	DERWENT;	
		locate search)	IBM_TDB	
-	0	(((no zero none) with (match\$3 hit\$3	USPAT;	2003/04/29 06:48
		result\$4)) and (broaden alter change modify)	US-PGPUB;	2003, 01, 23 00110
		with (search query request) with (crieria	EPO; JPO;	
		attributes parameters properties)) and	DERWENT;	
•		directory with (device or printer) with	IBM_TDB	
		(find locate search)		
-	7	(((no zero none) with (match\$3 hit\$3	USPAT;	2003/04/29 07:22
		result\$4)) and (broaden alter change modify)	US-PGPUB;	
	,	with (search query request) with (crieria	EPO; JPO;	
		attributes parameters properties)) and directory with (device or printer) and (find	DERWENT; IBM TDB	
		locate search) with device	151,-108	
_	9	(((no zero none) with (match\$3 hit\$3	USPAT;	2003/04/29 06:49
		result\$4)) and (broaden alter change modify)	US-PGPUB;	
		with (search query request) with (criteria	EPO; JPO;	
•		attribute parameter property)) and directory	DERWENT;	
		with (device or printer) and (find locate	IBM_TDB	
	·	search) with device		
-	8	(((no zero none) with (match\$3 hit\$3	USPAT;	2003/04/29 06:49
		result\$4)) and (broaden alter change modify)	US-PGPUB;	
		with (search query request) with (criteria	EPO; JPO;	
		attribute parameter property)) and network	DERWENT;	
		with (device or printer) with (find locate	IBM_TDB	
	1	search)	L	l

-	17	((((no zero none) with (match\$3 hit\$3	USPAT;	2003/04/29	06:49
	]	result\$4)) and (broaden alter change modify)	US-PGPUB;		
	•	with (search query request) with (crieria	EPO; JPO;		
		attributes parameters properties)) and	DERWENT;		
		directory with (device or printer) and (find	IBM_TDB		
		locate search) with device) (((no zero			
		none) with (match\$3 hit\$3 result\$4)) and			•
		(broaden alter change modify) with (search			
		query request) with (criteria attribute			
		parameter property)) and directory with			
		(device or printer) and (find locate search)			
		with device) ((((no zero none) with (match\$3			
		hit\$3 result\$4)) and (broaden alter change			
		modify) with (search query request) with			
	ľ			·	
		(criteria attribute parameter property)) and network with (device or printer) with (find			
		_			
	.	locate search)	110DAM	2002/04/20	07 04
=	1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT;	2003/04/29	07:24
		result\$4)) and (broaden alter change modify)	US-PGPUB;		
		with (search query request) with (criteria	EPO; JPO;		
		attribute parameter property)) and network	DERWENT;		
		with (device or printer) with (attributes	IBM_TDB		
	,	condition criteria)) and directory with			
		(device or printer) and (find locate search)		1	
		with device			
-	185	(((no zero none) with (match\$3 hit\$3	USPAT;	2003/04/29	07:23
	1	result\$4)) and (broaden alter change modify)	US-PGPUB;		
	i	with (search query request) with (criteria	EPO; JPO;		
		attribute parameter property)) and 707/\$	DERWENT;		
			IBM TDB		
_	1	(((no zero none) with (match\$3 hit\$3	USPAT;	2003/04/29 (	07:24
i	-	result\$4)) and (broaden alter change modify)	US-PGPUB;	1 2000, 01, 25	
i		with (search query request) with (criteria	EPO; JPO;		
		attribute parameter property)) and 707/3-5	DERWENT;		
		accirbate parameter property// and /0//5-5	IBM TDB	,	
	,	((((no zero none) with (match\$3 hit\$3	USPAT;	2003/04/29	07.21
-	3		1	2003/04/29	07:31
-	1	result\$4)) and (broaden alter change modify)	US-PGPUB;		
		with (search query request) with (criteria	EPO; JPO;		
	1	attribute parameter property)) and network	DERWENT;		
		with (device or printer) with (attributes	IBM_TDB	1	
		condition criteria)) and (device or printer)			
	1	with (parameter attribute property) and			
		(find locate search) with device			
-	15	((((no zero none) with (match\$3 hit\$3	USPAT;	2003/04/29 (	07:32
		result\$4)) and (broaden alter change modify)	US-PGPUB;		
		with (search query request) with (criteria	EPO; JPO;		
,		attribute parameter property)) and network	DERWENT;		
[ ·	1	with (device or printer) with (attributes	IBM_TDB		
		condition criteria)) and (device or printer)			
		with (parameter attribute property)			
-	37223		USPAT;	2003/04/29	07:30
		FE1,	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
			IBM TDB		
_	1309	(device near4 (attribute property)) and	USPAT;	2003/04/29 (	77.21
	1,309			2003/04/29	J/:31
	[	(search query loacte find) near5 device	US-PGPUB;		
			EPO; JPO;		
	l	· ·	DERWENT;		
		111	IBM_TDB		
-	204	1	USPAT;	2003/04/29 (	07:38
		result\$4)) and (broaden alter change modify)	US-PGPUB;		
		with (search query request) with (criteria	EPO; JPO;		
	2	attribute parameter property)) and (device	DERWENT;		
		or printer) with (parameter attribute	IBM_TDB	1	
		property)	-		
-	19	((device near4 (attribute property)) and	USPAT;	2003/04/29 0	7:32
		(search query loacte find) near5 device) and	US-PGPUB;		
]		(((no zero none) with (match\$3 hit\$3	EPO; JPO;	1	j
		result\$4)) and (broaden alter change modify)	DERWENT;	1	
	•	with (search query request) with (criteria	IBM TDB	]	
		attribute parameter property))			
	L	paramoter property//	1	1	

-		result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and (device or printer) with (parameter attribute property) and (find locate search) with	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:40
-	59	device ((((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and (device or printer) with (parameter attribute property)) and (find loacte search query) with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:39
-	26	<pre>(((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and (device or printer) with (parameter attribute property) and (find locate search) near4 device</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:40
-	6	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:41
-	58	1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:53
-	0	(first and second) with (request search or query) and broadend with select with (less smaller) with (parameter attribute property)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 07:55
-	0	(first and second) with (request search or query) and broad\$2 with select with (less smaller) with (parameter attribute property)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 07:56
-	7120	(first and second) with (request search or query) and broad\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 07:58
- 0	110	query) and broad\$2 ) and (((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:58
-	19 110178		USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 08:04 2003/04/29 11:46
} -	750	((select or choose) with device) and device with (search and (attribute parameter propery))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 10:53
- ·	309	(((select or choose) with device) and device with (search and (attribute parameter propery))) and device with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:57

	157581	(result search query) with (first and	USPAT;	2003/04/29 11:01
ļ	13,302	second)	US-PGPUB;	' '
}			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	89	((result search query) with (first and	USPAT;	2003/04/29 11:08
		second)) and ((((select or choose) with	US-PGPUB;	
		device) and device with (search and	EPO; JPO;	
		(attribute parameter propery))) and device	DERWENT;	
ļ		with database)	IBM_TDB	
-	56	709/221-231.ccls. and ((((select or choose)	USPAT;	2003/04/29 11:08
	İ	with device) and device with (search and	US-PGPUB;	
		(attribute parameter propery))) and device	EPO; JPO;	
		with database)	DERWENT;	
		a contract the second s	IBM_TDB	2002/04/20 21 47
-	328	select with device with criteria	USPAT;	2003/04/29 11:47
			US-PGPUB;	
İ	İ		EPO; JPO; DERWENT;	
1		·	IBM TDB	
}	53	(select with device with criteria) and	USPAT;	2003/04/29 11:48
-	33	display with (result match hit)	US-PGPUB;	2003/04/23 11:48
		albertay with (lobale match life)	EPO; JPO;	
1 .			DERWENT;	
		,	IBM TDB	